



## Deluxe Daily Wear Protection

In Vitro Tested – SPF 15

<b>TRADE NAME</b>	<b>CFTA NAME</b>	<b>%W/W</b>
<b><u>PHASE A</u></b>		
Emulsiphos	Potassium Cetyl Phosphate,	
	Hydrogenated Palm Glycerides	1.00
Dracolin GMS	Glyceryl Stearate SE	2.00
Beeswax	Beeswax	1.00
Dragoxat 89	Ethylhexyl Isononanoate	8.00
Tegesoft PC31	Polyglyceryl-3-Caprate	0.30
Isodragol	Triisononanoin	4.00
<i>Alpha Bisabolol Nat.</i>	Bisabolol	0.10
Corapan TQ®	Ethylhexyl Naphthalate	2.00
<b>KAHSCREEN AVO</b>	Avobenzone	1.00
<b>KAHSCREEN HMS</b>	Homosalate	7.50
<b>KAHSCREEN OS</b>	Octisalate	5.00
<b><u>PHASE B</u></b>		
Deionized Water	Water	<i>Q.S.</i>
Hydrolite-5	Pentylene Glycol	5.00
Keltrol CG-RD	Xanthan Gum	0.50
Disodium EDTA	Disodium EDTA	0.10
<b><u>PHASE C</u></b>		
<b>CP-Beta-Glucan</b>	Water, Butylene Glycol, Glycerin,	
	Avena Sativa (Oat) Kernel Extract	1.50
<b>Essential Oils Blend</b>	Fragrance (sophisticated)	0.40

**PROCEDURE:** Combine Phase A ingredients and to 70°C. Separately combine Phase B ingredients, ensure that the Xanthan Gum is fully hydrated while heating to 80°C. While homogenizing, slowly add phase A to Phase B and continue homogenizing for five minutes. Cool to 30°C with sweep mixing. Add Phase C below 40°C.

**NOTICE**

Our advice represents our best knowledge, but no liability may be derived therefrom. We request you at your own responsibility to test the effectiveness, compatibility, and stability of preparations made on the basis of our suggestions and also to ascertain that these preparations do not infringe patents or other industrial property rights held by third parties.